

COOK PORTABLE WAREHOUSES

100 DOUGLAS STREET
VALDOSTA, GA 31601

GARDEN SHED FOR THE INTERNATIONAL BUILDING CODE

DESIGN CRITERIA

1. WIND VELOCITY 160 M.P.H.
2. BUILDING CATEGORY I
3. WIND EXPOSURE C
4. INT. PRESSURE COEFFICIENT ± 0.18
5. ENCLOSURE CLASSIFICATION ENCLOSED
6. BASED ON HEIGHT 15 FEET
7. OVERHANG NO
8. FLOOR DESIGN LIVE LOAD 40 PSF
- FLOOR DESIGN DEAD LOAD 4 PSF
9. ROOF DESIGN LIVE LOAD 20 PSF
- ROOF DESIGN DEAD LOAD 7 PSF
10. WALL DESIGN DEAD LOAD 3 PSF
11. LOFT UNINHABITABLE LIVE LOAD 20 PSF
12. SNOW LOAD 20 PSF
13. CONSTRUCTION TYPE V B
14. BUILDING OCCUPANCY: U
15. FIRE RATING EXT. WALLS N/A
16. ALLOWABLE NUMBER OF FLOORS 1
17. THE CONTRACTOR/MANUFACTURER MUST COMPLY WITH THE FOLLOWING CODES AND ALL OF THERE AMENDMENTS/SUPPLEMENTS:
 - INTERNATIONAL BUILDING CODE - 2015
 - NATIONAL ELECTRIC CODE - 2014
 - NFPA 101 LIFE SAFTEY CODE - 2015




Figure 26.5.1c (Continued)

SHEET LIST	
SHEET NUMBER	SHEET TITLE
C-1	COVER SHEET
C-2	WIND LOADING
C-3	NOTES
C-4	FASTENING SCHEDULE
C-5	FASTENING SCHEDULE
C-6	FASTENING SCHEDULE
A-1	FLOOR DECK & FRAMING PLANS
A-2	SHEARWALL TABLE
A-3	EXTERIOR ELEVATIONS
A-4	FRAMING ELEVATIONS
A-5	FRAMING ELEVATIONS
A-6	FRAMING ELEVATIONS
A-7	SECTION & DETAIL
A-8	ROOF SECTIONS
A-9	DETAILS
A-10	DETAILS
A-11	DETAILS
A-12	DETAILS

LOUISIANA CODES	
-INTERNATIONAL BUILDING CODE WITH STATE AMENDMENTS	- 2015
MISSISSIPPI CODES	
-INTERNATIONAL BUILDING CODE WITH STATE AMENDMENTS	- 2015
TEXAS CODES	
-INTERNATIONAL BUILDING CODE WITH STATE AMENDMENTS	- 2015

AREA FOR APPROVAL STAMPS

REV	BY	DATE	DESCRIPTION

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.

AL# 30631 MS# 19034 KS# 21198	DIXON ENGINEERING, INC.
SC# 27592 NC# 035485 GA# 034371	STRUCTURAL ENGINEERING AND INSPECTION - COA 8145
WV# 071436 TX# 104353 MD# 40905	10410 MAIN STREET
PA# 079009 VA# 045593	THONOTOSASSA, FL 33592
TN# 112761 FL# 34222	VOICE: 813-982-9885 FAX: 813-982-2306

COOK PORTABLE WAREHOUSES

GARDEN SHED
100 DOUGLAS STREET
VALDOSTA, GA 31601
PHONE: 1-229-241-8805

COVER SHEET

DATE:	6/29/17
DRAWN BY:	CNO
CHECKED BY:	TAD
SCALE:	AS NOTED
W.O. NO.:	495-077


SHEET

C-1


1 OF 18

This drawing is the property of Dixon Engineering, Inc. Unless otherwise provided for by contract, or other written means, the contents of this drawing are confidential and shall not be transmitted to any other party except as agreed by Dixon Engineering, Inc. Copyright.


This drawing is the property of Dixon Engineering, Inc. Unless otherwise provided for by contract, or other written means, the contents of this drawing are confidential and shall not be transmitted to any other party except as agreed by Dixon Engineering, Inc. Copyright.



WIND LOAD MAIN WIND FORCE PRESSURE DIAGRAMS



WIND LOAD COMPONENT AND CLADDING WALL PRESSURE DIAGRAM



WIND LOAD COMPONENT AND CLADDING ROOF PRESSURE DIAGRAM

BUILDING DATA ASCE 7-10 WIND

WIND VELOCITY V_{50}	160 mph	INTERNAL PRESSURE COEFFICIENT	± 0.18
WIND VELOCITY V_{ASD}	124	(ENCLOSED BUILDING ASCE 7-10)	
BUILDING CATEGORY	I	HEIGHT & EXPOSURE ADJUSTMENT COEFFICIENT	1.21
(TABLE 1.5-1 ASCE 7-10)		ROOF DEAD LOAD RESISTING UPLIFT (psf)	4
ROOF ANGLE, θ (DEGREES)	7-27 degrees	MEAN ROOF HEIGHT	15
WIND EXPOSURE CATEGORY	C		

DESIGN WIND LOADS - WINDOWS, DOORS, COMPONENTS AND CLADDING

ZONE	AREA (SF)	DESIGN PRESSURE (psf)			ZONE	AREA (SF)	DESIGN PRESSURE (psf)			ZONE	AREA (SF)	DESIGN PRESSURE (psf)	
		Positive	Negative	Net Uplift			Positive	Negative	Positive				Negative
		1	10	32.1			-50.9	-46.9	4				10
1	20	29.3	-49.6	-45.6	4	20	53.2	-58.0	2	20	-103.9		
1	50	25.5	-47.7	-43.7	4	50	49.9	-54.6	2	50	-103.9		
1	100	22.6	-46.2	-42.2	4	100	47.4	-52.2	2	100	-103.9		
2	10	32.1	-85.8	-84.8	4	500	41.5	-46.2	3	10	-174.7		
2	20	29.3	-81.7	-77.7	5	10	55.8	-74.7	3	20	-157.7		
2	50	25.5	-72.2	-68.2	5	20	53.2	-69.6	3	50	-135.2		
2	100	22.6	-65.2	-61.2	5	50	49.9	-62.9	3	100	-118.1		
3	20	29.3	-122.7	-118.7	5	500	41.5	-46.2					
3	50	25.5	-111.4	-107.4									
3	100	22.6	-103.0	-99.0									




- Notes:
- For effective areas between those given above the load may be interpolated, otherwise use the load associated with the lower effective area.
 - Plus and minus signs signify pressures acting toward and away from the surfaces, respectively.
 - Pressures shown are applied normal to the surface.
 - Refer to pressure zone diagrams provided for corresponding zones.
 - Roof framing members shall be designed to resist the net uplift design pressures specified.
 - Roof coverings, finishes, etc. shall be designed for the full negative design pressure.
 - Design pressures shown shall be multiplied by its appropriate load case factor from article 24.1 of ASCE 7-10 when performing stress design on structural elements of building.

DESIGN WIND LOADS - MWFRS METHOD 1 ENCLOSED BUILDINGS H ≤ 60'

BASIC WIND SPEED (mph)	ROOF ANGLE (DEGREES)	LOAD CASE	ZONES								ROOF OVERHANG	
			HORIZONTAL PRESSURES				VERTICAL PRESSURES				E_{on}	G_{on}
			A	B	C	D	E	F	G	H		
160	0-5	1	49.1	-25.5	32.5	-15.1	-59.0	-33.5	-41.1	-26.0	-82.6	-64.7
	10	1	55.4	-23.0	36.8	-13.4	-59.0	-36.1	-41.1	-27.7	-82.6	-64.7
	15	1	61.7	-20.4	41.1	-11.6	-59.0	-38.6	-41.1	-29.4	-82.6	-64.7
	20	1	68.0	-17.9	45.4	-9.9	-59.0	-41.1	-41.1	-31.2	-82.6	-64.7
	25	1	61.6	9.9	44.6	10.2	-27.3	-37.3	-19.8	-30.0	-50.9	-43.4
	25	2	0.0	0.0	0.0	0.0	-10.4	-20.3	-2.8	-12.9	0.0	0.0
	30 to 45	1	55.3	37.8	43.9	30.3	4.2	-33.5	1.5	-28.8	-19.4	-22.1
	30 to 45	2	55.3	37.8	43.9	30.3	21.3	-16.6	18.4	-11.9	-19.4	-22.1

- Notes:
- For effective areas between those given above the load may be interpolated, otherwise use the load associated with the lower effective area.
 - The load patterns shown shall be applied to each corner of the building in turn as the reference corner. (See Figure 28.6-1)
 - For the design of the Case B MWFRS use $\theta = 0^\circ$.
 - Plus and minus signs signify pressures acting toward and away from the projected surfaces, respectively.
 - Where zone E or G falls on a roof overhang on the windward side of the building, use E_{on} and G_{on} for the pressure on the horizontal projection of the overhang. Overhangs on the leeward and side edges shall have the basic zone pressure applied.
 - Design pressures shown shall be multiplied by its appropriate load case factor from article 24.1 of ASCE 7-10 when performing stress design on structural elements of building.

AREA FOR APPROVAL STAMPS



REV	BY	DATE	DESCRIPTION

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.

AL# 30631 MS# 19034 KS# 21198	DIXON ENGINEERING, INC.
SC# 27592 NC# 035985 GA# 034371	STRUCTURAL ENGINEERING AND INSPECTION - COA 8195
WV# 071936 TX# 104353 MD# 40905	10410 MAIN STREET
PA# 079009 VA# 045593	THONOTOSASSA, FL 33592
TN# 112761 FL# 34222	VOICE: 813-982-9885 FAX: 813-982-2306

COOK PORTABLE WAREHOUSES

GARDEN SHED
100 DOUGLAS STREET
VALDOSTA, GA 31601
PHONE: 1-229-241-8805

WIND LOADING

DATE:	6/29/17
DRAWN BY:	CNO
CHECKED BY:	TAD
SCALE:	AS NOTED
W.O. NO.:	495-077

SHEET

C-2

2 OF 18

This drawing is the property of Dixon Engineering, Inc. Unless otherwise provided for by contract, or other written means, the contents of this drawing are confidential and shall not be transmitted to any other party except as agreed by Dixon Engineering, Inc. Copyright.

GENERAL NOTES

- THIS STRUCTURE WAS DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING (I.B.C.)
- ALL MATERIALS AND LABOR SHALL BE IN ACCORDANCE WITH THE ABOVE CODE AND ALL OTHER APPLICABLE LOCAL CODES AT THE TIME OF MANUFACTURE.
- WRITTEN DIMENSIONS SHALL TAKE PRECEDENCE OVER SCALED DIMENSIONS.
- THE FOUNDATION PLAN IS A SEPARATE SET OF PLANS FOR APPROVAL BY LOCAL MUNICIPALITIES.
- EXTERIOR DIMENSIONS CAN VARY BETWEEN LIMITS SHOWN AT 2' O.C. BUT MEMBER SPACING SHALL NOT EXCEED LIMITS AS INDICATED.
- ALL THE FOLLOWING LUMBER SHALL BE PRESSURE TREATED IN ACCORDANCE WITH AWPA USE CATEGORY UC4B (GROUND CONTACT, HEAVY DUTY): SKIDS
- ALL THE FOLLOWING LUMBER SHALL BE PRESSURE TREATED IN ACCORDANCE WITH AWPA USE CATEGORY UC3B (EXTERIOR ABOVE GROUND, UNCOATED OR POOR WATER RUNOFF): FLOOR JOISTS, PLYWOOD FLOOR DECKING, AND EXTERIOR RATED WOOD STRUCTURAL PANEL SIDING.
- ALL FASTENERS AND CONNECTORS IN CONTACT WITH PRESSURE TREATED WOOD SHALL BE HOT DIPPED GALVANIZED (G185) OR STAINLESS STEEL.
- ALL WINDOWS WITHIN 24" OF DOORS, AND ALL GLASS IN DOORS SHALL BE SAFETY, TEMPERED, OR ACRYLIC PLASTIC SHEET.
- FOR ROOFS WITH ASPHALT SHINGLES AND A SLOPE BETWEEN 2 TO 12 AND 4 TO 12 SHALL HAVE A DOUBLE UNDERLAYMENT APPLICATION AS REQUIRED IN ACCORDANCE WITH SECTION 1507.2.8 OF THE 2015 I.B.C..
- UNDERLAYMENT SHALL CONFORM WITH SECTION 1507.2.3 OF THE 2015 I.B.C..
- ASPHALT SHINGLES SHALL CONFORM WITH SECTION 1507.2.5 OF THE 2015 I.B.C.. ATTACHMENT OF ASPHALT SHINGLES SHALL CONFORM WITH 1507.2.7 OF THE 2015 I.B.C..R
- FASTENERS FOR ASPHALT SHINGLES SHALL CONFORM TO SECTION 1507.2.6 OF THE 2015 I.B.C.
- TIE-DOWNS SHALL MEET THE REQUIREMENTS OF ALL APPLICABLE CODES.
- THESE PLANS HAVE NOT BEEN DESIGNED FOR HVHZ REQUIREMENTS AS SET FORTH IN THE 2015 I.B.C. OR FOR USE AS A COMMERCIAL BUILDING.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING ALL EXISTING CONDITIONS.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR DELIVERY AND PLACEMENT OF LAWN STORAGE UNIT TO INSURE THE INTEGRITY OF THE BUILDING AND ITS COMPONENT PARTS.
- NO FIELD REVISIONS TO ANY STRUCTURAL COMPONENTS OR DEVIATIONS FROM THESE DRAWINGS SHALL BE MADE.
- THE OWNER AND THE CONTRACTOR SHALL HOLD HARMLESS THE ENGINEER FROM AND AGAINST ALL LIABILITY CLAIMS, DAMAGES, LOSSES AND EXPENSES INCLUDING LEGAL FEES ARISING OUT OF OR RESULTING FROM ERRORS OR OMISSIONS IN THE PERFORMANCE OF THE WORK BY THE CONTRACTOR.
- SECTIONS AND DETAILS ON THE DRAWINGS ARE INTENDED TO BE TYPICAL AND SHALL APPLY AT ALL SIMILAR LOCATIONS, UNLESS OTHER SECTIONS AND DETAILS ARE SPECIFICALLY REFERENCED.
- REFER TO SUPPLIED FASTENING SCHEDULE FOR FASTENING BASED ON CONNECTION AND LOCATION OF MEMBERS AS PER 2015 INTERNATIONAL BUILDING CODE TABLE 2304.9.1 UNLESS NOTED OTHERWISE.
- BUILDINGS HAVE BEEN DESIGNED FOR LP SMARTSIDE PRECISION PANEL SIDING, LP SMARTSIDE PRECISION LAP SIDING SHALL NOT BE USED.
- FASTENERS IN LP SMARTSIDE PRECISION PANEL SIDING MUST NOT BE INSTALLED IN PANEL SIDING GROOVES IN THE FIELD OF THE PANEL SIDING OR WHEN THE PANEL SIDING GROOVES OCCUR AT CUT EDGES OF THE PANEL SIDING.
- REFER TO THE ICC-ES EVALUATION REPORT ESR-1301 FOR ADDITIONAL DATA AND SPECIFICATIONS OF LP SMARTSIDE PRECISION PANEL SIDING.
- MAX OPENINGS WIDTHS MUST COMPLY WITH DESIGN RATIOS AS PER ANSI/AF&PA SDPWS-2008. BUILDINGS HAVE BEEN DESIGNED TO HAVE ONLY OPENINGS WITH MAX WIDTHS EQUAL TO THOSE IN THE ENDWALL SHEAR WALL CHART.
- PER SECTION 1609.1.2 #3 OF THE IBC, STORAGE SHEDS THAT ARE NOT DESIGNED FOR HUMAN HABITATION AND THAT HAVE A FLOOR AREA OF 120 SQUARE FEET OR LESS ARE NOT REQUIRED TO COMPLY WITH THE MANDATORY WIND-BORNE-DEBRIS-IMPACT STANDARDS OF THE INTERNATIONAL BUILDING CODE.
- BUILDINGS THAT ARE 400 SQUARE FEET OR LESS AND THAT ARE INTENDED FOR USE IN CONJUNCTION WITH ONE-AND-TWO-FAMILY RESIDENCES ARE NOT SUBJECT TO THE DOOR HEIGHT AND WIDTH REQUIREMENTS OF THE INTERNATIONAL BUILDING CODE PER 1008.1.1 (SEE EXCEPTION 8).
- BUILDINGS HAVE BEEN DESIGNED TO HAVE ANCHORS DIRECTLY ATTACHED TO ALL FOUR CORNERS OF THE BUILDING TO RESIST TENSION FORCES FROM LATERAL WIND LOADS. THIS DESIGN CONSIDERATION MUST BE MADE BY INSTALLER WHEN ATTACHING ANCHORING SYSTEM TO BUILDING.
- UNLESS NOTED OTHERWISE, ATTACH ALL MANUFACTURED PRODUCTS IN ACCORDANCE WITH MANUFACTURERS SPECIFICATIONS.

SITE INSTALLED ITEMS




NOTE THAT THIS LIST DOES NOT NECESSARILY LIMIT THE ITEMS OF WORK AND MATERIALS THAT MAY BE REQUIRED FOR A COMPLETE INSTALLATION. ALL SITE RELATED ITEMS ARE SUBJECT TO LOCAL JURISDICTIONAL APPROVAL.

- THE COMPLETE FOUNDATION SUPPORT AND TIE-DOWN SYSTEM.
- RAMP, STAIRS, AND GENERAL ACCESS TO THE BUILDING IF NECESSARY.
- GUTTERS AND DOWNSPOUTS ON ALL BUILDINGS WITH EAVES OF LESS THAN 6 INCHES HORIZONTAL PROJECTION EXCEPT FOR GABLE END RAKES.

OCCUPANCY NOTE:

THIS BUILDING IS NOT DESIGNED FOR HUMAN HABITATION AND DOES NOT HAVE RUNNING WATER OR SANITATION SERVICES. THIS BUILDING IS DESIGNED AS AN ACCESSORY LAWN STORAGE SHED TO STORE LAWN EQUIPMENT SUCH AS WHEEL BARROWS, GARDENING SUPPLIES, FLOWER POTS, AND CARDBOARD BOXES WITH VARIOUS SMALL ITEMS.

AREA FOR APPROVAL STAMPS



Handwritten signature of Thomas A. Dixon

REV	BY	DATE	DESCRIPTION

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.

AL# 30631 MS# 19034 KS# 21198 SC# 27542 NC# 035985 GA# 034371 WV# 071936 TX# 104353 MD# 40905 PA# 079009 VA# 045593 TN# 112761 FL# 34222	DIXON ENGINEERING, INC. STRUCTURAL ENGINEERING AND INSPECTION - COA 8145 10410 MAIN STREET THONOTOSASSA, FL 33542 VOICE: 813-982-9885 FAX: 813-982-2306
--	---

COOK PORTABLE WAREHOUSES

GARDEN SHED
 100 DOUGLAS STREET
 VALDOSTA, GA 31601
 PHONE: 1-229-241-8805

NOTES

DATE:	6/29/17
DRAWN BY:	CNO
CHECKED BY:	TAD
SCALE:	AS NOTED
W.O. NO:	495-077

SHEET

C-3




 3 OF 18

This drawing is the property of Dixon Engineering, Inc. Unless otherwise provided for by contract, or other written means, the contents of this drawing are confidential and shall not be transmitted to any other party except as agreed by Dixon Engineering, Inc. Copyright.

FASTENING SCHEDULE		
CONNECTION	FASTENING ^{a, k}	LOCATION
1. JOIST TO SILL OR GIRDER	3 - 8d COMMON (2 1/2" x 0.131") 3 - 3" x 0.131" NAILS 3 - 3" 14 GAGE STAPLES	TOENAIL
2. BRIDGING TO JOIST	2 - 8d COMMON (2 1/2" x 0.131") 2 - 3" x 0.131" NAILS 2 - 3" 14 GAGE STAPLES	TOENAIL EACH END
3. SOLE PLATE TO JOIST OR BLOCKING	16d (3 1/2" x 0.135") AT 16" O.C. 3" x 0.131" NAILS AT 8" O.C. 3" 14 GAGE STAPLES AT 12" O.C.	TYPICAL FACE NAIL
4. SOLE PLATE TO JOIST OR BLOCKING AT BRACED WALL PANEL	3 - 16d (3 1/2" x 0.135") AT 16" O.C. 4 - 3" x 0.131" NAILS AT 8" O.C. 4 - 3" 14 GAGE STAPLES AT 12" O.C.	BRACED WALL PANELS
5. TOP PLATE TO STUD	2 - 16d (3 1/2" x 0.162") 3 - 3" x 0.131" NAILS 3 - 3" 14 GAGE STAPLES	END NAIL
6. STUD TO SOLE PLATE	4 - 8d COMMON (2 1/2" x 0.131") 4 - 3" x 0.131" NAILS 3 - 3" 14 GAGE STAPLES	TOENAIL
	2 - 16d COMMON (3 1/2" x 0.162") 3 - 3" x 0.131" NAILS 3 - 3" 14 GAGE STAPLES	END NAIL
7. DOUBLE STUDS	16d (3 1/2" x 0.135") AT 24" O.C. 3" x 0.131" NAILS AT 8" O.C. 3" 14 GAGE STAPLES AT 12" O.C.	FACE NAIL
8. DOUBLE TO PLATES	16d (3 1/2" x 0.135") AT 16" O.C. 3" x 0.131" NAILS AT 12" O.C. 3" 14 GAGE STAPLES AT 12" O.C.	TYPICAL FACE NAIL
	8 - 16d COMMON (3 1/2" x 0.162") 12 - 3" x 0.131" NAILS 12 - 3" 14 GAGE STAPLES	LAP SPLICE
9. BLOCKING BETWEEN JOISTS OR RAFTERS TO TOP PLATE	3 - 8d COMMON (2 1/2" x 0.131") 3 - 3" x 0.131" NAILS 3 - 3" 14 GAGE STAPLES	TOENAIL
10. RIM JOIST TO TOP PLATE	8d (2 1/2" x 0.131") AT 6" O.C. 3" x 0.131" NAILS AT 6" O.C. 3" 14 GAGE STAPLES AT 6" O.C.	TOENAIL
11. TOP PLATES, LAPS AND INTERSECTIONS	2 - 16d COMMON (3 1/2" x 0.162") 3 - 3" x 0.131" NAILS 3 - 3" 14 GAGE STAPLES	FACE NAIL
12. CONTINUOUS HEADER (2) PIECES	16d COMMON (3 1/2" x 0.162")	16" O.C. ALONG EDGE

(CONTINUED)

AREA FOR APPROVAL STAMPS



Handwritten signature of Thomas A. Dixon over the Mississippi and Texas seals.

REV	BY	DATE	DESCRIPTION

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.

AL# 30631 MS# 19034 KS# 21198 DIXON ENGINEERING, INC.
 SC# 27542 NC# 035485 GA# 034371 STRUCTURAL ENGINEERING AND INSPECTION - COA 8145
 WV# 071936 TX# 104353 MD# 40905 10410 MAIN STREET
 PA# 079009 VA# 045593 THONOTOSASSA, FL 33542
 TN# 112761 FL# 34222 VOICE: 813-982-9885 FAX: 813-982-2306

COOK PORTABLE WAREHOUSES

GARDEN SHED
 100 DOUGLAS STREET
 VALDOSTA, GA 31601
 PHONE: 1-229-241-8805

FASTENING SCHEDULE

DATE: 6/29/17
 DRAWN BY: CNO
 CHECKED BY: TAD
 SCALE: AS NOTED
 W.O. NO: 495-077

SHEET

C-4



4 OF 18

This drawing is the property of Dixon Engineering, Inc. Unless otherwise provided for by contract, or other written means, the contents of this drawing are confidential and shall not be transmitted to any other party except as agreed by Dixon Engineering, Inc. Copyright.

FASTENING SCHEDULE		
CONNECTION	FASTENING ^{a, k}	LOCATION
13. CEILING JOISTS TO PLATE	3 - 8d COMMON (2 1/2" x 0.131") 5 - 3" x 0.131" NAILS 5 - 3" 14 GAGE STAPLES	TOENAIL
14. CONTINUOUS HEADER TO STUD	4 - 8d COMMON (2 1/2" x 0.131")	TOENAIL
15. RAFTER TO PLATE	3 - 8d COMMON (2 1/2" x 0.131") 3 - 3" x 0.131" NAILS 3 - 3" 14 GAGE STAPLES	TOENAIL
16. 1" DIAGONAL BRACE TO EACH STUD AND PLATE	2 - 8d COMMON (2 1/2" x 0.131") 2 - 3" x 0.131" NAILS 3 - 3" 14 GAGE STAPLES	FACE NAIL
17. BUILT-UP CORNER STUDS	16d (3 1/2" x 0.135") 3" x 0.131" NAILS 3" 14 GAGE STAPLES	24" O.C. 16" O.C. 16" O.C.
18A. BUILT-UP GIRDER AND BEAMS	20d COMMON (4" x 0.192" 32") O.C. 3" x 0.131" NAIL AT 24" O.C. 3" 14 GAGE STAPLE AT 24" O.C. 2 - 20d COMMON (4" x 0.192") 3 - 3" x 0.131" NAIL 3 - 3" 14 GAGE STAPLE	FACE NAIL AT TOP AND BOTTOM STAGGERED ON OPPOSITE SIDES FACE NAIL AT ENDS AND AT EACH SPLICE
19. COLLAR TIE TO RAFTER	3 - 10d COMMON (3" x 0.148") 4 - 3" x 0.131" NAILS 4 - 3" 14 GAGE STAPLES	FACE NAIL
20. ROOF RAFTER TO 2-BY RIDGE BEAM	2 - 16d COMMON (3 1/2" x 0.162") 3 - 3" x 0.131" NAILS 3 - 3" 14 GAGE STAPLES	TOENAIL OR FACE NAIL
21. JOIST TO BAND JOIST	3 - 16d COMMON (3 1/2" x 0.162") 4 - 3" x 0.131" NAILS 4 - 3" 14 GAGE STAPLES	FACE NAIL

(CONTINUED)

AREA FOR APPROVAL STAMPS



7/3/20

REV	BY	DATE	DESCRIPTION

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.

AL# 30631 MS# 19034 KS# 21198
SC# 21542 NC# 035485 GA# 034371
WV# 071936 TX# 104353 MD# 40905
PA# 079009 VA# 045593
TN# 112761 FL# 34222

DIXON ENGINEERING, INC.
STRUCTURAL ENGINEERING AND INSPECTION - COA 8195
10410 MAIN STREET
THONOTOSASSA, FL 33542
VOICE: 813-982-9885 FAX: 813-982-2306

COOK PORTABLE WAREHOUSES

GARDEN SHED
100 DOUGLAS STREET
VALDOSTA, GA 31601
PHONE: 1-229-241-8805

FASTENING SCHEDULE (CONT.)

DATE:	6/29/17
DRAWN BY:	CNO
CHECKED BY:	TAD
SCALE:	AS NOTED
W.O. NO.:	495-077

SHEET

C-5




5 OF 18

FASTENING SCHEDULE

CONNECTION	FASTENING ^{a, k}	LOCATION
22. WOOD STRUCTURAL PANELS AND PARTICLEBOARD ^b SUBFLOOR, ROOF AND WALL SHEATHING (TO FRAMING) SINGLE FLOOR (COMBINATION SUBFLOOR-UNDERLAYMENT TO FRAMING)	1/2" AND LESS 6d ^{c, j} 2 3/8" x 0.113" NAIL ^l 1 3/4" 16 GAGE ^m	6 INCH O.C. EDGES AND INTERMEDIATE, 4" O.C. AT COMPONENT AND CLADDING EDGE STRIP # ZONE 3 [REFER TO FIGURE 30.5-1 OF ASCE 7]
	15/32" TO 19/32" 8d COMMON (ROOFS IN 110-140 V _{asd} MPH EXP "B")	
	19/32" TO 3/4" 8d ^d OR 6d ^e 2 3/8" x 0.113" NAIL ^l 2" 16 GAGE ⁿ	
	7/8" TO 1" 8d ^c	
	1 1/8" TO 1 1/4" 10d ^d OR 8d ^e	
	3/4" AND LESS 6d ^e	
	7/8" TO 1" 8d ^e	
1 1/8" TO 1 1/4" 10d ^d OR 8d ^e		
23. PANEL SIDING (TO FRAMING)	1/2" OR LESS 6d ^f 5/8" 8d ^f	
24. FIBERBOARD SHEATHING ^g	1/2" NO. 11 GAGE ROOFING NAIL ^h 6d COMMON NAIL (2" x 0.113") NO 16 GAGE STAPLE ⁱ	
	25/32" NO. 11 GAGE ROOFING NAIL ^h 8d COMMON NAIL (2 1/2" x 0.131") NO 16 GAGE STAPLE ⁱ	

- a. COMMON OR BOX NAILS ARE PERMITTED TO BE USED EXCEPT WHERE OTHERWISE STATED.
- b. NAILS SPACED AT 6" O.C. AT EDGES, 12" AT INTERMEDIATE SUPPORTS EXCEPT 6" AT SUPPORTS WHERE SPANS ARE 48" OR MORE. FOR NAILING OF WOOD STRUCTURAL PANEL AND PARTICLEBOARD DIAPHRAGMS AND SHEAR WALLS, REFER TO SECTION 2305 IBC. NAILS FOR WALL SHEATHING ARE PERMITTED TO BE COMMON, BOX OR CASING.
- c. COMMON OR DEFORMED SHANK (6d - 2" x 0.113"; 8d - 2 1/2" x 0.131"; 10d 3" x 0.148").
- d. COMMON (6d - 2" x 0.113"; 8d - 2 1/2" x 0.131"; 10d 3" x 0.148").
- e. DEFORMED SHANK (6d - 2" x 0.113"; 8d - 2 1/2" x 0.131"; 10d 3" x 0.148").
- f. CORROSION-RESISTANT SIDING (6d - 1 7/8" x 0.106"; 8d 2 3/8" x 0.128") OR CASING (6d 2" x 0.099"; 8d 2 1/2" x 0.113") NAIL.
- g. FASTENERS SPACED 3" O.C. AT EXTERIOR EDGES AND 6" O.C. AT INTERMEDIATE SUPPORTS, WHEN USED AS STRUCTURAL SHEATHING. SPACING SHALL BE 6" O.C. ON THE EDGES AND 12" O.C. AT INTERMEDIATE SUPPORTS FOR NONSTRUCTURAL APPLICATIONS.
- h. CORROSION-RESISTANT ROOFING NAILS WITH 7/16" DIAMETER HEAD AND 1 1/2" LENGTH FOR 1/2" SHEATHING AND 1 3/4" LENGTH FOR 25/32" SHEATHING.
- i. CORROSION-RESISTANT STAPLES WITH NOMINAL 7/16" CROWN OR 1" CROWN AND 1 1/4" LENGTH FOR 1/2" SHEATHING AND 1 1/2" LENGTH FOR 25/32" SHEATHING. PANEL SUPPORTS AT 16" (20" IF STRENGTH AXIS IS THE LONG DIRECTION OF THE PANEL, UNLESS OTHERWISE MARKED).
- j. FOR ROOF SHEATHING APPLICATIONS, 8d NAILS (2 1/2" x 0.113") ARE THE MINIMUM REQUIRED FOR WOOD STRUCTURAL PANELS.
- k. STAPLES SHALL HAVE A MINIMUM CROWN WIDTH OF 7/16".
- l. FOR ROOF SHEATHING APPLICATIONS, FASTENERS SPACED 4" O.C. AT EDGES, 8" O.C. AT INTERMEDIATE SUPPORTS.
- m. FASTENERS SPACED 4" O.C. AT EDGES, 8" O.C. AT INTERMEDIATE SUPPORTS FOR SUBFLOOR AND WALL SHEATHING AND 3" O.C. AT EDGES, 6" AT INTERMEDIATE SUPPORTS FOR ROOF SHEATHING.
- n. FASTENERS SPACED 4" O.C. AT EDGES, 8" AT INTERMEDIATE SUPPORTS.

AREA FOR APPROVAL STAMPS



REV	BY	DATE	DESCRIPTION

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.

AL# 30631	MS# 19034	KS# 21198	DIXON ENGINEERING, INC.
SC# 27592	NC# 035985	GA# 034371	STRUCTURAL ENGINEERING AND INSPECTION - COA 8195
WV# 071936	TX# 104353	MD# 40905	10410 MAIN STREET
PA# 079009	VA# 045593		THONOTOSAUSA, FL 33592
TN# 112761	FL# 34222		VOICE: 813-982-9885 FAX: 813-982-2306

COOK PORTABLE WAREHOUSES

GARDEN SHED
100 DOUGLAS STREET
VALDOSTA, GA 31601
PHONE: 1-229-241-8805

FASTENING SCHEDULE (CONT.)


DATE:	6/29/17
DRAWN BY:	CNO
CHECKED BY:	TAD
SCALE:	AS NOTED
W.O. NO.:	495-077

SHEET


C-6

6 OF 18


This drawing is the property of Dixon Engineering, Inc. Unless otherwise provided for by contract, or other written means, the contents of this drawing are confidential and shall not be transmitted to any other party except as agreed by Dixon Engineering, Inc. Copyright.




1 FLOOR FRAMING PLAN
SCALE: 1/4" = 1'-0"



2 FLOOR FRAMING PLAN
SCALE: 1/4" = 1'-0"





3 FLOOR DECK PLAN
SCALE: 1/4" = 1'-0"



4 ROOF FRAMING PLAN
SCALE: 1/4" = 1'-0"

AREA FOR APPROVAL STAMPS



REV	BY	DATE	DESCRIPTION

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.

AL# 30637 MS# 19034 KS# 21198	DIXON ENGINEERING, INC. STRUCTURAL ENGINEERING AND INSPECTION - COA 8195 10410 MAIN STREET THONOTOSASSA, FL 33592 VOICE: 813-982-9885 FAX: 813-982-2306
SC# 27592 NC# 035985 GA# 034371	
WV# 071936 TX# 104353 MD# 40905	
PA# 079009 VA# 045593	
TN# 112761 FL# 34222	

COOK PORTABLE WAREHOUSES
GARDEN SHED
100 DOUGLAS STREET
VALDOSTA, GA 31601
PHONE: 1-229-241-8805

FLOOR DECK AND FRAMING PLANS

DATE:	6/29/17
DRAWN BY:	CNO
CHECKED BY:	TAD
SCALE:	AS NOTED
W.O. NO.:	495-077

SHEET

A-1

7 OF 18

This drawing is the property of Dixon Engineering, Inc. Unless otherwise provided for by contract, or other written means, the contents of this drawing are confidential and shall not be transmitted to any other party except as agreed by Dixon Engineering, Inc. Copyright.

SHEARWALL CHART				
BUILDING WIDTH	OPENING WIDTHS IN ENDWALL	MAX LENGTH OF BUILDING		
		1 9/32" TI-II ¹	1 9/32" LP SMARTPANEL ²	1 9/32" LP SMARTPANEL ³
7'-11 1/2"	NONE	23'-9"	23'-9"	23'-9"
	3'-0" MAX			
	4'-0"			
9'-11 1/2"	NONE	29'-9"	29'-9"	29'-9"
	3'-0" MAX			
	4'-0"			
	6'-0"			
	7'-0"	24'-0"		

NOTES:

1. 1 9/32" TI-II SHALL BE FASTENED USING 8d COMMON OR DEFORMED NAILS AT 6" O.C. IN FIELD AND 3" O.C. ALONG ALL PANEL EDGES.
2. 1 9/32" LP SMARTPANEL SHALL BE FASTENED USING 8d COMMON OR DEFORMED NAILS AT 6" O.C. IN FIELD AND 3" O.C. ALONG ALL PANEL EDGES.
3. 1 9/32" LP SMARTPANEL SHALL BE FASTENED USING 8d COMMON OR DEFORMED NAILS AT 6" O.C. IN FIELD AND 2" O.C. ALONG ALL PANEL EDGES.
4. WINDOWS AND DOORS MAY BE LOCATED IN EITHER THE SIDE WALL OR ENDWALL. DOORS ARE PERMITTED TO BE IN BOTH ENDWALLS OR ENDWALL AND SIDE WALL IF REQUESTED BY CUSTOMER. LIMITATIONS ON THE TOTAL OPENING DIMENSIONS SHALL BE BASED ON THE SHEAR WALL HEIGHT TO WIDTH RATIO OF 3.5:1 AND SHALL NOT EXCEED (2/3) OF TOTAL LENGTH OF BUILDING. NAILING IN SIDEWALL USE 8d NAILS COMMON OR DEFORMED AT 6" O.C. EVERYWHERE WHEN TOTAL OPENING WIDTHS IN SIDE WALL ARE LESS THAN (2/3) OF TOTAL LENGTH OF BUILDING.

SHEARWALL

1

TABLE

SCALE: N.T.S.

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.

AL# 30637 MS# 19034 KS# 21198
 SC# 27542 NC# 035985 GA# 034371
 WV# 071936 TX# 104353 MD# 40905
 PA# 079009 VA# 045593
 TN# 112761 FL# 34222



DIXON ENGINEERING, INC.
 STRUCTURAL ENGINEERING AND INSPECTION - COA 8195
 10410 MAIN STREET
 THONOTOSASSA, FL 33542
 VOICE: 813-982-9885 FAX: 813-982-2306

COOK PORTABLE WAREHOUSES

GARDEN SHED
 100 DOUGLAS STREET
 VALDOSTA, GA 31601
 PHONE: 1-229-241-8805

SHEARWALL TABLE

AREA FOR APPROVAL STAMPS




REV	BY	DATE	DESCRIPTION

DATE: 6/29/17
 DRAWN BY: CNO
 CHECKED BY: TAD
 SCALE: AS NOTED
 W.O. NO: 495-077


SHEET
A-2
 8 OF 18

This drawing is the property of Dixon Engineering, Inc. Unless otherwise provided for by contract, or other written means, the contents of this drawing are confidential and shall not be transmitted to any other party except as agreed by Dixon Engineering, Inc. Copyright.




1
A-3 **SIDE ELEVATION**
SCALE: 1/4" = 1'-0"

EXAMPLE DRAWING IS OF A 20' LENGTH UNIT
NOTE:
1. FOR ALL ITEMS NOT SHOWN SEE SHEET A-4





EXAMPLE DRAWING IS OF A 10'
WIDE UNIT W 3'-0" DOOR

2
A-3 **ENDWALL ELEVATION**
SCALE: 1/4" = 1'-0"



EXAMPLE DRAWING IS OF A 10'
WIDE UNIT W 7'-0" DOOR

AREA FOR APPROVAL STAMPS



REV	BY	DATE	DESCRIPTION

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.

AL# 30637 MS# 19034 KS# 21198	DIXON ENGINEERING, INC.
SC# 27592 NC# 035985 GA# 034311	STRUCTURAL ENGINEERING AND INSPECTION - COA 8195
WV# 071936 TX# 104353 MD# 40905	10410 MAIN STREET
PA# 079009 VA# 045593	THONOTOSASSA, FL 33592
TN# 112761 FL# 34222	VOICE: 813-982-9885 FAX: 813-982-2306

COOK PORTABLE WAREHOUSES


GARDEN SHED
100 DOUGLAS STREET
VALDOSTA, GA 31601
PHONE: 1-229-241-8805

EXTERIOR ELEVATIONS

DATE:	6/29/17
DRAWN BY:	CNO
CHECKED BY:	TAD
SCALE:	AS NOTED
W.O. NO:	495-077


SHEET
A-3
9 OF 18

This drawing is the property of Dixon Engineering, Inc. Unless otherwise provided for by contract, or other written means, the contents of this drawing are confidential and shall not be transmitted to any other party except as agreed by Dixon Engineering, Inc. Copyright.




1
A-4
**7'-11 1/2" SHED ENDWALL WITH NO OPENING
FRAMING ELEVATION**
SCALE: 1/4" = 1'-0"

NOTE:
1. FOR ALL ITEMS NOT SHOWN SEE SHEET A-4






2
A-4
**7'-11 1/2" SHED ENDWALL WITH 4' DOOR OPENING
FRAMING ELEVATION**
SCALE: 1/4" = 1'-0"



3
A-4
**7'-11 1/2" SHED ENDWALL WITH 3' DOOR OPENING
FRAMING ELEVATION**
SCALE: 1/4" = 1'-0"

AREA FOR APPROVAL STAMPS



REV	BY	DATE	DESCRIPTION
-----	----	------	-------------

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.

AL# 30637 MS# 19034 KS# 21198	DIXON ENGINEERING, INC. STRUCTURAL ENGINEERING AND INSPECTION - COA 8145 10410 MAIN STREET THONOTOSASSA, FL 33542 VOICE: 813-982-9885 FAX: 813-982-2306
SC# 27542 NC# 035985 GA# 034371	
WV# 071936 TX# 104353 MD# 40905	
PA# 079009 VA# 045593	
TN# 112761 FL# 34222	

COOK PORTABLE WAREHOUSES
GARDEN SHED
100 DOUGLAS STREET
VALDOSTA, GA 31601
PHONE: 1-229-241-8805

FRAMING ELEVATIONS


DATE:	6/29/17
DRAWN BY:	CNO
CHECKED BY:	TAD
SCALE:	AS NOTED
W.O. NO:	495-077

SHEET


A-4

10 OF 18

This drawing is the property of Dixon Engineering, Inc. Unless otherwise provided for by contract, or other written means, the contents of this drawing are confidential and shall not be transmitted to any other party except as agreed by Dixon Engineering, Inc. Copyright.




1
A-5
9'-11 1/2" SHED ENDWALL
WITH NO OPENING
FRAMING ELEVATION
SCALE: 1/4" = 1'-0"




2
A-5
9'-11 1/2" SHED ENDWALL
WITH 4' DOOR OPENING
FRAMING ELEVATION
SCALE: 1/4" = 1'-0"


NOTE:
1. FOR ALL ITEMS NOT SHOWN SEE
SHEET A-4



3
A-5
9'-11 1/2" SHED ENDWALL
WITH 3' DOOR OPENING
FRAMING ELEVATION
SCALE: 1/4" = 1'-0"






4
A-5
9'-11 1/2" SHED ENDWALL
WITH 6' DOOR OPENING
FRAMING ELEVATION
SCALE: 1/4" = 1'-0"



5
A-5
9'-11 1/2" SHED ENDWALL
WITH 7' DOOR OPENING
FRAMING ELEVATION
SCALE: 1/4" = 1'-0"

AREA FOR APPROVAL STAMPS



REV	BY	DATE	DESCRIPTION

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.

AL# 30631 MS# 19034 KS# 21198
 SC# 27592 NC# 035985 GA# 034371
 NV# 071936 TX# 104353 MD# 40905
 PA# 079009 VA# 045593
 TN# 112761 FL# 34222
 DIXON ENGINEERING, INC.
 STRUCTURAL ENGINEERING AND INSPECTION - COA 8195
 10410 MAIN STREET
 THONOTOSASSA, FL 33592
 VOICE: 813-982-9885 FAX: 813-982-2306

COOK PORTABLE WAREHOUSES


GARDEN SHED
 100 DOUGLAS STREET
 VALDOSTA, GA 31601
 PHONE: 1-229-241-8805

FRAMING ELEVATIONS


DATE: 6/29/17
 DRAWN BY: CNO
 CHECKED BY: TAD
 SCALE: AS NOTED
 W.O. NO: 495-077

SHEET
A-5
 11 OF 18


This drawing is the property of Dixon Engineering, Inc. Unless otherwise provided for by contract, or other written means, the contents of this drawing are confidential and shall not be transmitted to any other party except as agreed by Dixon Engineering, Inc. Copyright.




1
A-6
SCALE: 1/4" = 1'-0"
**SIDEWALL OR ENDWALL
2'-0" NOMINAL WINDOW HEADER AND SILL
FRAMING ELEVATION**




2
A-6
SCALE: 1/4" = 1'-0"
**SIDEWALL
3'-0" OPENING HEADER AND SILL
FRAMING ELEVATION**



3
A-6
SCALE: 1/4" = 1'-0"
**SIDEWALL
FRAMING ELEVATION**





4
A-6
SCALE: 1/4" = 1'-0"
**SIDEWALL
6'-0" DOOR HEADER
FRAMING ELEVATION**



5
A-6
SCALE: 1/4" = 1'-0"
**SIDEWALL
4'-0" DOOR HEADER
FRAMING ELEVATION**

AREA FOR APPROVAL STAMPS



REV	BY	DATE	DESCRIPTION

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.

AL# 30637 MS# 19034 KS# 21198	DIXON ENGINEERING, INC.
SC# 27592 NC# 035985 GA# 034371	STRUCTURAL ENGINEERING AND INSPECTION - COA 8195
WV# 071936 TX# 104353 MD# 40905	10410 MAIN STREET
PA# 079009 VA# 045593	THONOTOSASSA, FL 33542
TN# 112761 FL# 34222	VOICE: 813-982-9885 FAX: 813-982-2306

COOK PORTABLE WAREHOUSES

GARDEN SHED
100 DOUGLAS STREET
VALDOSTA, GA 31601
PHONE: 1-229-241-8805

FRAMING ELEVATIONS

DATE:	6/29/17
DRAWN BY:	CNO
CHECKED BY:	TAD
SCALE:	AS NOTED
W.O. NO.:	495-077


SHEET

A-6

12 OF 18


This drawing is the property of Dixon Engineering, Inc. Unless otherwise provided for by contract, or other written means, the contents of this drawing are confidential and shall not be transmitted to any other party except as agreed by Dixon Engineering, Inc. Copyright.

NOTE:
 FOR ALL FASTENING OF FRAMING MEMBERS NOT NOTED ON THIS SHEET REFER TO FASTENING SCHEDULE ON SHEETS C-4 THRU C-6




1
 A-7
CROSS SECTION
 SCALE: 3/8" = 1'-0"

EXAMPLE DRAWING IS OF A 10'-0" WIDE UNIT





2
 A-7
CORNER ANCHOR DETAIL
 SCALE: N.T.S.



3
 A-7
ALTERNATE CORNER ANCHOR DETAIL
 SCALE: N.T.S.

AREA FOR APPROVAL STAMPS



REV	BY	DATE	DESCRIPTION

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.
 AL# 30637 MS# 19034 KS# 21198
 SC# 27542 NC# 035985 GA# 034371
 WV# 071936 TX# 104353 MD# 40905
 PA# 079009 VA# 045593
 TN# 112761 FL# 34222
 DIXON ENGINEERING, INC.
 STRUCTURAL ENGINEERING AND INSPECTION - COA 8145
 10410 MAIN STREET
 THONOTOSASSA, FL 33542
 VOICE: 813-982-9885 FAX: 813-982-2306


COOK PORTABLE WAREHOUSES
 GARDEN SHED
 100 DOUGLAS STREET
 VALDOSTA, GA 31601
 PHONE: 1-229-241-8805
SECTION & DETAIL

DATE:	6/29/17
DRAWN BY:	CNO
CHECKED BY:	TAD
SCALE:	AS NOTED
W.O. NO.:	495-077

SHEET


 13 OF 18

This drawing is the property of Dixon Engineering, Inc. Unless otherwise provided for by contract, or other written means, the contents of this drawing are confidential and shall not be transmitted to any other party except as agreed by Dixon Engineering, Inc. Copyright.



RESIDENTIAL
RIDGE CAP BY
CENTRAL STATES
MANUFACTURING
PART # RRCP OR
EQUAL

1
A-8
7'-11" WIDE
OPTIONAL METAL ROOF
CROSS SECTION
SCALE: 3/8" = 1'-0"





29 GA. PANEL-LOC
PLUS ROOF PANEL
BY CENTRAL STATES
MANUFACTURING OR
EQUAL

RESIDENTIAL
EAVE TRIM BY
CENTRAL
STATES
MANUFACTURING
PART # RET
OR EQUAL

P.T. 1x6
FASCIA
BOARD

2
A-8
9'-11" WIDE
OPTIONAL METAL ROOF
CROSS SECTION
SCALE: 3/8" = 1'-0"

AREA FOR APPROVAL STAMPS



REV	BY	DATE	DESCRIPTION

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.

AL# 30631	MS# 19034	KS# 21198	DIXON ENGINEERING, INC.
SC# 27592	NC# 035985	GA# 034371	STRUCTURAL ENGINEERING AND INSPECTION - COA 8195
WV# 071936	TX# 104353	MD# 40905	10410 MAIN STREET
PA# 079009	VA# 045593		THONOTOSASSA, FL 33592
TN# 112761	FL# 34222		VOICE: 813-982-9885 FAX: 813-982-2306

COOK PORTABLE WAREHOUSES


GARDEN SHED
100 DOUGLAS STREET
VALDOSTA, GA 31601
PHONE: 1-229-241-8805

ROOF SECTIONS

DATE:	6/29/17
DRAWN BY:	CNO
CHECKED BY:	TAD
SCALE:	AS NOTED
W.O. NO.:	495-077


SHEET
A-8
14 OF 18

This drawing is the property of Dixon Engineering, Inc. Unless otherwise provided for by contract, or other written means, the contents of this drawing are confidential and shall not be transmitted to any other party except as agreed by Dixon Engineering, Inc. Copyright.




1 ISOMETRIC SKID DETAIL
A-9 SCALE: N.T.S.

NOTE:
FOR ALL FASTENING OF FRAMING MEMBERS NOT NOTED ON THIS SHEET REFER TO FASTENING SCHEDULE ON SHEETS C-4 THRU C-6




3 SKID CONNECTION DETAIL
A-9 SCALE: 1 1/2" = 1'-0"

4 CORNER CONNECTION DETAIL
A-9 SCALE: 1 1/2" = 1'-0"



2 END WALL JOISTS TYP. END OF SKID DETAIL
A-9 SCALE: 1 1/2" = 1'-0"



5 SPLICE CONNECTION DETAIL
A-9 SCALE: 1 1/2" = 1'-0"

AREA FOR APPROVAL STAMPS

STATE OF LOUISIANA
THOMAS ALAN DIXON
License No. 0037001
PROFESSIONAL ENGINEER
IN
STRUCTURAL ENGINEERING

THOMAS A. DIXON
LICENSED PROFESSIONAL ENGINEER
STATE OF MISSISSIPPI
19034

THOMAS A. DIXON
LICENSED PROFESSIONAL ENGINEER
STATE OF TEXAS
104353
PROFESSIONAL ENGINEER

REV	BY	DATE	DESCRIPTION

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.

AL# 30637 MS# 19034 KS# 21198
SC# 27542 NC# 035985 GA# 034371
WV# 071936 TX# 104353 MD# 40905
PA# 079009 VA# 045593
TN# 112761 FL# 34222

DIXON ENGINEERING, INC.
STRUCTURAL ENGINEERING AND INSPECTION - COA 8145
10410 MAIN STREET
THONOTOSASSA, FL 33542
VOICE: 813-982-9885 FAX: 813-982-2306

COOK PORTABLE WAREHOUSES

GARDEN SHED
100 DOUGLAS STREET
VALDOSTA, GA 31601
PHONE: 1-229-241-8805

DETAILS


DATE: 6/29/17
DRAWN BY: CNO
CHECKED BY: TAD
SCALE: AS NOTED
W.O. NO: 495-077

SHEET
A-9
15 OF 18


This drawing is the property of Dixon Engineering, Inc. Unless otherwise provided for by contract, or other written means, the contents of this drawing are confidential and shall not be transmitted to any other party except as agreed by Dixon Engineering, Inc. Copyright.

DOUBLE PRE-ENGINEERED TRUSSES WITH NON-CONTINUOUS 1/2" FLITCH PLATE AT ENDWALLS ONLY

EXTERIOR T1-II SIDING
2x4 S.P.F. #2 WALL STUD



1
A-10 **DOUBLE TRUSS DETAIL**
SCALE: 1 1/2" = 1'-0"



2
A-10 **WALL STUD TO RAFTER FASTENING DETAIL**
SCALE: 1 1/2" = 1'-0"

ASTM D 7158 CLASS H OR ASTM D 3161 CLASS F ASPHALT SHINGLES OVER APPROVED UNDERLAYMENT, METHOD OR DESIGN AS DESCRIBED UNDER GENERAL NOTES 10 THRU 13 ON SHEET C-3. FOR METAL ROOFING SEE SHEET A-8 FOR DETAILS


1/16" OSB OR PLYWOOD SHEATHING FASTENED WITH 8D COMMON NAILS AT 6" O.C. IN FIELD AND EDGES ON ALL BUILDINGS WITH SHINGLES OR METAL ROOF COVERING

1x4 S.Y.P. P.T. #2 FASCIA

5/8" PLYWOOD SOFFIT W (2) 0.131"φx3" GUNNAILS INTO TRUSSES

SIMPSON MTS12 WITH (14) TOTAL (7) EACH END 0.148"φx1-1/2" GUNNAILS OR EQUAL INTO TRUSSES AND STUD WALLS

2x4 S.P.F. #2 TOP PLATE



NOTE:
FOR ALL FASTENING OF FRAMING MEMBERS NOT NOTED ON THIS SHEET REFER TO FASTENING SCHEDULE ON SHEETS C-4 THRU C-6

1 9/32" T1-II SIDING OR 1 9/32" LP SMARTSIDE PRECISION PANEL SIDING. SEE SHEAR WALL TABLE I/A-2 FOR MAXIMUM BUILDING LENGTHS BASED ON PRESCRIBED NAILING PATTERN IN ENDWALL SHAER WALLS. NAILING FOR SIDEWALLS SHALL BE 8d COMMON OR DEFORMED NAILS AT 6" O.C. EVERYWHERE.




2x4 S.P.F. #2 VERT. WALL STUD 24" O.C.

2x4 FLOOR JOIST

2x4 BAND JOIST

3
A-10 **WALL STUD TO RAFTER AND FLOOR FASTENING DETAIL**
SCALE: 1 1/2" = 1'-0"

AREA FOR APPROVAL STAMPS



Handwritten signature and date 7/3/2012

REV	BY	DATE	DESCRIPTION
-----	----	------	-------------

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.

AL# 30637	MS# 19034	KS# 21198	DIXON ENGINEERING, INC. STRUCTURAL ENGINEERING AND INSPECTION - COA 8195 10410 MAIN STREET THONOTOSASSA, FL 33592 VOICE: 813-982-9885 FAX: 813-982-2306
SC# 27542	NC# 035985	GA# 034371	
WV# 071936	TX# 104353	MD# 40905	
PA# 079009	VA# 045593		
TN# 112761	FL# 34222		

COOK PORTABLE WAREHOUSES

GARDEN SHED
100 DOUGLAS STREET
VALDOSTA, GA 31601
PHONE: 1-229-241-8805

DETAILS

DATE:	6/29/17
DRAWN BY:	CNO
CHECKED BY:	TAD
SCALE:	AS NOTED
W.O. NO:	495-077


SHEET

A-10


16 OF 18

This drawing is the property of Dixon Engineering, Inc. Unless otherwise provided for by contract, or other written means, the contents of this drawing are confidential and shall not be transmitted to any other party except as agreed by Dixon Engineering, Inc. Copyright.

AREA FOR APPROVAL STAMPS




Handwritten signature and date: 7/31/2017



NOTE:
FOR ALL FASTENING OF FRAMING
MEMBERS NOT NOTED ON THIS SHEET
REFER TO FASTENING SCHEDULE ON
SHEETS C-4 THRU C-6

16 GAUGE GALVANIZED STEEL WITH
(14) TOTAL (7) EACH END
0.148"φx1-1/2" NAILS OR EQUAL INTO
RAFTERS AND STUD WALLS


1
A-II
DETAIL
SCALE: 3" = 1'-0"



NOTE: USED ON EVERY
WALL STUD TO
CONNECT WALL TO
TRUSS

20 GAUGE x 1-1/4" GALV.
STEEL STRAP WITH (18)
0.131"φ x 2-1/4" NAILS
OR EQUAL (12) INTO
RAFTERS AND (6) INTO
STUD WALL

3
A-II
**20 GAGE STRAP
DETAIL**
SCALE: 3" = 1'-0"



2
A-II
**HEADER
SECTION**
SCALE: 3" = 1'-0"

REV	BY	DATE	DESCRIPTION

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.

AL# 30637 MS# 19034 KS# 21198
SC# 27592 NC# 035985 GA# 034371
WV# 071936 TX# 104353 MD# 40905
PA# 079009 VA# 045593
TN# 112761 FL# 34222

DIXON ENGINEERING, INC.
STRUCTURAL ENGINEERING AND INSPECTION - COA 8195
10410 MAIN STREET
THONOTOSASSA, FL 33592
VOICE: 813-982-9885 FAX: 813-982-2306

COOK PORTABLE WAREHOUSES

GARDEN SHED
100 DOUGLAS STREET
VALDOSTA, GA 31601
PHONE: 1-229-241-8805

DETAILS


DATE:	6/29/17
DRAWN BY:	CNO
CHECKED BY:	TAD
SCALE:	AS NOTED
W.O. NO:	495-077

SHEET


A-11

17 OF 18

This drawing is the property of Dixon Engineering, Inc. Unless otherwise provided for by contract, or other written means, the contents of this drawing are confidential and shall not be transmitted to any other party except as agreed by Dixon Engineering, Inc. Copyright.




1
A-12
WINDOW HEADER AND SILL
DETAIL
SCALE: N.T.S.




2
A-12
HEADER WITH OUT STRAP
DETAIL
SCALE: N.T.S.

NOTE:
FOR ALL FASTENING OF FRAMING MEMBERS NOT NOTED ON THIS SHEET REFER TO FASTENING SCHEDULE ON SHEETS C-4 THRU C-6





3
A-12
HEADER WITH STRAP
DETAIL
SCALE: N.T.S.



4
A-12
CRIPPLE STUD STRAP
DETAIL
SCALE: N.T.S.

AREA FOR APPROVAL STAMPS



REV	BY	DATE	DESCRIPTION

THESE PLANS WERE DESIGNED IN ACCORDANCE WITH THE 2015 INTERNATIONAL BUILDING CODE, BUILDING FOR A THREE SECOND GUST OF 160 MPH.

THOMAS A. DIXON, P.E.

AL# 30637 MS# 19034 KS# 21198
 SC# 27592 NC# 035985 GA# 034371
 WV# 071936 TX# 104353 MD# 40905
 PA# 079009 VA# 045593
 TN# 112761 FL# 34222

DIXON ENGINEERING, INC.
 STRUCTURAL ENGINEERING AND INSPECTION - COA 8195
 10410 MAIN STREET
 THONOTOSASSA, FL 33592
 VOICE: 813-982-9885 FAX: 813-982-2306

COOK PORTABLE WAREHOUSES

GARDEN SHED
 100 DOUGLAS STREET
 VALDOSTA, GA 31601
 PHONE: 1-229-241-8805

DETAILS

DATE:	6/29/17
DRAWN BY:	CNO
CHECKED BY:	TAD
SCALE:	AS NOTED
W.O. NO:	495-077

SHEET

A-12

18 OF 18